
MACK DEFENSE BASTION

LIGHT TACTICAL ARMORED VEHICLE



MACK
DEFENSE

info@mackdefense.com
www.mackdefense.com

MACK DEFENSE BASTION




The Mack BASTION is a modular line of armored vehicles of 27,558 lbs (12.5 tonnes). The chassis from the 4x4 VLRA offers good tactical mobility, as well as great ruggedness and ease of maintenance.

The BASTION armored hull offers a large internal volume and ballistic, mine and IED protection as per STANAG 4569. It is available in troop transport version or open-body PATSAS version for Special Forces. The APC can also be fitted out in ambulance, cargo and command post versions.

Numerous countries in Africa and the Middle East rely on the BASTION APC and PATSAS for peace enforcement, peacekeeping, reconnaissance and combat missions. It is also used by several Special Forces units.



Maximum speed on road: 68 mph (110 km/h)
Maximum range: 870 miles (1,400 km)
Air transport: A400M/C-130



RUGGEDNESS & MOBILITY

EXPERIENCED CHASSIS

- 4x4 gooseneck of the VLRA military chassis, rugged and flexible, with low loading height and reduced visual signature
- 180 hp (Euro 2) non electronic engine
- Extended range: 870 miles (1,400 km)

STRATEGIC MOBILITY

- Air transport in C-130 and A400M

EASY MAINTENANCE

- Main components readily accessible for rapid maintenance in the field without specific equipment

PROTECTION

- Monocoque hull protected as per STANAG 4569
- Protection against mines as per STANAG 4569 and against Improvised Explosive Devices (IEDs)

MODULARITY

- Numerous configurations available: troop transport, ambulance, command post, cargo, etc.
- Special Forces version adaptable to the needs of each unit: BASTION PATSAS

MACK DEFENSE BASTION

WEIGHTS & DIMENSIONS

- GVW: 27,558 lbs (12.5 tonnes)
- Dimensions (L x W x H): 236 x 87 x 94 inches (6 x 2.2 x 2.4 m)
- Wheelbase: 142 inches (3.6 m)
- Ground clearance: 13 inches (0.33 m) under axles

DRIVELINE & TRANSMISSION

- Drive: 4x4
- Engine type: Deutz 1013 (4-cylinder)
- Emissions compliance: Euro 2
- Max power: 180 hp
- Max torque: 590 lb.-ft (800 Nm) @1300 rpm
- Transmission: 6-speed mechanical
- Tires: 365/80R20
- Suspensions: Axles and leaf springs

STANDARD EQUIPMENT

- Protection: Ballistic, mine and IED as per STANAG 4569, firing ports
- Cab: Left or right hand drive
- Comfort: Air conditioning/heating

OPTIONAL EQUIPMENT

- Mobility: Central tire inflation system (CTIS), cold starting (-25.6 °F/-32°C), winch, clearance blade, run-flat tires, window grids, GPS
- Protection: Bull-Bar, NBC protection
- Systems: Smoke grenade launcher, laser detection system, RCIED jammer, Battle Management system, peripheral surveillance system, rear camera, day and night long-distance surveillance camera, sniper acoustic detector, 7.62 or 12.7 mm weapon systems (manned or remotely operated), Radio UHF/VHF/HF/PMR, specific intercom, police light-bar, public address

FOR MORE INFORMATION VISIT MACKDEFENSE.COM

© JUNE 2016 Mack Trucks, Inc. All rights reserved. Mack, Mack and the Bulldog design and all other marks contained herein are registered trademarks of Mack Trucks, Inc. and/or Mack Trucks, Inc. affiliated companies. All other marks contained herein are the property of their respective owners. The information in this brochure was accurate at the date of publication. Mack Trucks, Inc. reserves the right to make changes in specifications, equipment or design, or to discontinue certain models or options without notice at any time. Warranty terms and services may vary in certain countries. Some of the equipment shown or described in this brochure is available at extra cost through retail organizations and establishments not associated with Mack Trucks, Inc.

